

AIRZONE—Airzone (1931) Ltd., 168-170 Parramatta Road, Auburn, N.S.W.

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
452	402	1936	A.C. B/C Man. 4	456	R.T. Annual	1939	194
					AORSM/2P	1938	17
					AORSM/2P	1939	17
					AORSM/28	1939	17
					AORSM/3P	1940	17
					AORSM/3S	1940	11

AIRZONE—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
453	403	1937	Bat. B/C Man. 4	456	R.T. Annual	1939	193
					AORSM/1P	1938	17
					AORSM/2P	1938	18
					AORSM/2P	1939	18
					AORSM/2S	1939	18
					AORSM/3P	1940	18
					AORSM/3S	1940	12
454	404	1937	Bat. B/C Con. 4	456	Technician	Sep. '40	248
					AORSM/2P	1938	19
					AORSM/2P	1939	19
					AORSM/2S	1939	19
455	405	1939	1.4v B/C Man. 4	456	AORSM/4P	1941	37
456	406	1939	A.C. B/C Man. 4	456	AORSM/3P	1940	18
					AORSM/3S	1940	12
457	407	1940	1.4v B/C Prt. 4φ	456	AORSM/4P	1941	16
457B	457B	1948	Bat. B/C Prt. 4	456
458	458	41/46	A.C. B/C Man. 4φ	456	AORSM/5P	1947	27
458C	458C	1946	A.C. B/C Man. 4	456
464	404A	1939	Bat. B/C Con. 4	456	Retailer	15/10/42	13
550	520	1936	A.C. B/C Man. 5	456	R.T. Annual	1939	194
					AORSM/2P	1938	21
					AORSM/2P	1939	21
					AORSM/2S	1939	21
					AORSM/3P	1940	19
					AORSM/3S	1940	13
553	504M	1936	A.C. B/C Man. 5	456	R.T. Annual	1938	230
554	511M	1936	A.C. B/C Man. 5	456	R.T. Annual	1938	231
					AORSM/1P	1938	18
556	518	1936	A.C. B/C Con. 5	456	R.T. Annual	1938	232
					AORSM/1P	1938	22
557	517	1937	A.C. B/C Con. 5	456	R.T. Annual	1938	234
					AORSM/1P	1938	22
558	512	1938	A.C. B/C Con. 5	176	R.T. Annual	1938	234
					AORSM/1P	1938	18
559	519	1937	Uni. D/W Con. 5	456	R.T. Annual	1939	198
					AORSM/1P	1938	24
					AORSM/2P	1938	20
					AORSM/2P	1939	20
					AORSM/2S	1939	20
560	521	1937	A.C. D/W Man. 5	456	Technician	Aug. '39	92
					AORSM/2P	1938	22
					AORSM/2P	1939	22
					AORSM/2S	1939	22
561	514	1936	Uni. B/C Con. 5	456
562	522	1937	Vib. D/W Con. 5	456	R.T. Annual	1939	196
					AORSM/2P	1938	23
					AORSM/2P	1939	23
					AORSM/2S	1939	23
563	513	1936	Bat. B/C Con. 5	175	R.T. Annual	1938	236
					AORSM/1P	1938	20
565	516	1936	A.C. D/W Con. 5	456	R.T. Annual	1938	237
					AORSM/1P	1938	21

AIRZONE—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
566	528	1936	A.C. B/C Con.	5	456
567	527	1936	A.C. B/C Con.	5	456
568	526	1936	A.C. D/W Con.	5	456	R.T. Annual	1938 237
						AORSM/1P	1938 21
569	529	1937	Unl. B/C Man.	5	456	R.T. Annual	1939 196
						AORSM/2P	1938 26
						AORSM/2P	1939 26
						AORSM/2S	1939 26
						AORSM/3P	1940 21
						AORSM/3S	1940 15
570	530	1937	A.C. B/C Con.	5	456	Technician	Oct. '39 107
						AORSM/2P	1938 27
						AORSM/2P	1939 27
						AORSM/2S	1939 27
						AORSM/3P	1940 22
						AORSM/3S	1940 16
571	531	1937	A.C. D/W Con.	5	456	Technician	Jan. '41 12
						AORSM/2P	1938 28
						AORSM/2P	1939 28
						AORSM/2S	1939 28
572	522M	1937	Vib. D/W Man.	5	456	R.T. Annual	1939 195
						AORSM/2P	1938 23
						AORSM/2P	1939 23
						AORSM/2S	1939 23
573	513H	1936	Bat. B/C Con.	5	175	R.T. Annual	1938 236
574	513H	1937	Bat. B/C Con.	5	175	R.T. Annual	1938 236
577	531E	1937	A.C. D/W Con.	5	456	Technician	Jan. '41 12
						AORSM/2P	1938 28
						AORSM/2P	1939 28
						AORSM/2S	1939 28
						AORSM/3P	1940 23
						AORSM/3S	1940 17
579	519	1938	Uni. D/W Con.	6	456	R.T. Annual	1939 198
585	525P	1938	Vib. B/C Prt.	5	456	Technician	Aug. '39 91
						AORSM/2P	1938 25
						AORSM/2P	1939 25
						AORSM/2S	1939 25
						AORSM/3P	1940 21
						AORSM/3S	1940 15
586	525M	1938	Vib. B/C Man.	5	456	Technician	Aug. '39 91
						AORSM/2P	1938 25
						AORSM/2P	1939 25
						AORSM/2S	1939 25
						AORSM/3P	1940 21
						AORSM/3S	1940 15
587	533	1938	A.C. B/C Con.	5*	456	Technician	May '41 82
588	532	1938	A.C. B/C Man.	5*	456	Technician	May '41 82
						AORSM/2P	1939 29
						AORSM/2S	1939 29
591	523D	1938	Vib. B/C Con.	5	456	Retailer	15/10/42 12
592	522D	1938	Vib. D/W Con.	5	175	Retailer	29/10/42 12

AIRZONE—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
593	523	1936	Vib. B/C Con. 5	175	R.T. Annual	1938	238
					AORSM/2P	1938	24
					AORSM/2P	1939	24
					AORSM/2S	1939	24
					AORSM/3P	1940	20
					AORSM/3S	1940	14
594	523M	1936	Vib. B/C Man. 5	175	R.T. Annual	1938	238
					AORSM/2P	1938	24
					AORSM/2P	1939	24
					AORSM/2S	1939	24
					AORSM/3P	1940	20
					AORSM/3S	1940	14
596	535	1938	A.C. D/W Con. 5*	456	Retailer	30/10/41	18
597	535	1938	A.C. D/W Con. 5*	456	Retailer	30/10/41	18
598	534	1939	Bat. D/W Man. 5	456			
599	534A	1939	Bat. D/W Con. 5	456			
654B	618	1936	Bat. B/C Con. 6	175	R.T. Annual	1938	238
					AORSM/1P	1938	28
656	609	1937	A.C. D/W Con. 6	456	Technician	Mar. '40	175
					AORSM/2P	1938	29
					AORSM/2P	1939	30
					AORSM/2S	1939	30
660	615	1936	A.C. D/W Con. 6	456	R.T. Annual	1938	239
661	615	1936	A.C. D/W Con. 6	456	R.T. Annual	1938	239
661L	615	1936	A.C. D/W Con. 6	456	R.T. Annual	1938	239
664	618A	1937	Bat. B/C Con. 6	175	R.T. Annual	1938	238
669	609E	1937	A.C. D/W Con. 6	456	Technician	Mar. '40	175
					AORSM/2P	1938	29
					AORSM/2P	1939	30
					AORSM/2S	1939	30
					AORSM/3P	1940	25
					AORSM/3S	1940	19
669C	609E	1937	A.C. D/W R-G 6	456	Technician	Mar. '40	175
					AORSM/2P	1938	29
					AORSM/2P	1939	30
					AORSM/2S	1939	30
					AORSM/3P	1940	25
					AORSM/3S	1940	19
672	612	1938	Bat. D/W Con. 6	456	Technician	Mar. '40	176
					AORSM/2P	1938	30
					AORSM/2P	1939	31
					AORSM/2S	1939	31
					AORSM/3P	1940	26
					AORSM/3S	1940	20
672C	612	1938	Bat. D/W R-G 6	456	Technician	Mar. '40	176
					AORSM/2P	1938	30
					AORSM/2P	1939	31
					AORSM/2S	1939	31
					AORSM/3P	1940	26
					AORSM/3S	1940	20
673	613	1938	Vib. D/W Con. 6	456	Technician	Mar. '40	177
					AORSM/2P	1938	31
					AORSM/2P	1939	32
					AORSM/2S	1939	32
					AORSM/3P	1940	27
					AORSM/3S	1940	21

AIRZONE—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
673C	613	1938	Vib. D/W R-G 6	456	Technician	Mar. '40	177
					AORSM/2P	1938	31
					AORSM/2P	1939	32
					AORSM/2S	1939	32
					AORSM/3P	1940	27
					AORSM/3S	1940	21
676	610	1939	A.C. D/W Con. 6	456	AORSM/4P	1941	27
679	610E	1939	A.C. D/W Con. 6	456	AORSM/4P	1941	27
750	701	1936	Bat. D/W Con. 7	456	Technician	Nov. '39	116
					AORSM/1P	1938	30
751	701A	1937	Bat. D/W Con. 7	456	Technician	Nov. '39	116
753	703	1939	Vib. D/W Con. 7	456	AORSM/4P	1941	28
850	803	1937	A.C. D/W Con. 8	456	Technician	Jan. '40	140
					AORSM/1P	1938	31
850C	803C	1938	A.C. D/W R-G 8	456	Technician	Jan. '40	140
854	804A	1939	A.C. D/W Con. 8	456	Retailer	26/11/42	10
854	804B	1939	A.C. D/W Con. 8	456	AORSM/3P	1940	28
					AORSM/3S	1940	22
854C	804A	1939	A.C. D/W R-G. 8	456	Retailer	26/11/42	10
					AORSM/3P	1940	28
					AORSM/3S	1940	22
					Retailer	5/8/43	14
1052A	1052A	1940	A.C. D/W Con. 5 ϕ	456	AORSM/4P	1941	28
1052AG	1052A	1940	A.C. D/W R-G 5 ϕ	456	Retailer	19/8/43	16
1062A	1062A	1940	A.C. D/W Con. 6 ϕ	456	AORSM/4P	1941	29
1062A	1062A	1940	A.C. D/W Con. 6 ϕ	456	Retailer	16/9/43	15
					AORSM/4P	1941	30
1062AG	1062A	1940	A.C. D/W R-G 6 ϕ	456	Retailer	14/10/43	15
					AORSM/4P	1941	31
1072V	1072V	1940	Vib. D/W Con. 7 ϕ	456	AORSM/4P	1941	39
1082A	1082A	1940	A.C. D/W Con. 8 ϕ	456	Retailer	11/11/43	15
					AORSM/4P	1941	32
1152A	1152A	1940	A.C. D/W Con. 5 ϕ	456	Retailer	2/9/43	15
					AORSM/4P	1941	33
1162W	1162W	1940	Bat. D/W Con. 6 ϕ	456	AORSM/4P	1941	38
1262V	1162V	1940	Vib. D/W Con. 5 ϕ	456	Retailer	27/5/43	16
					AORSM/4P	1941	34
1262U	1262U	1940	Unl. D/W Con. 6 ϕ	456	Retailer	28/10/43	15
					AORSM/4P	1941	34
1352D	1352D	1940	Bat. D/W Con. 5 ϕ	456	Retailer	24/6/43	13
					AORSM/4P	1941	35
5050	530	1938	A.C. B/C Con. 5	456	Technician	Oct. '39	107
					AORSM/2P	1938	27
					AORSM/2P	1939	27
					AORSM/2S	1939	27
					AORSM/3P	1940	22
					AORSM/3S	1940	16
5051	531	1938	A.C. D/W Con. 5	456	Technician	Jan. '41	12
					AORSM/2P	1938	27
					AORSM/2P	1939	27
					AORSM/2S	1939	27
					AORSM/3P	1940	22
					AORSM/3S	1940	16
5052	533R	1938	A.C. B/C Con. 5	456	Retailer	26/6/41	17
					AORSM/4P	1941	41

AIRZONE—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
5053	535R	1938	A.C. D/W Con. 5	456	Retailer	26/6/41	18
					AORSM/4P	1941	40
5054	535	1938	A.C. D/W Con. 5	456	Retailer	26/6/41	18
5055	520C	1939	A.C. B/C R-G 5†	456	Retailer	30/9/43	14
5056	536	1938	A.C. B/C Man. 5	456	Retailer	26/6/41	17
					AORSM/4P	1941	19
5056A	536A	1939	A.C. B/C Man. 5	456	AORSM/4P	1941	21
5057	537	1938	A.C. D/W Man. 5	456	AORSM/3P	1940	24
					AORSM/3S	1940	18
5067A	537A	1939	A.C. D/W Man. 5	456	AORSM/4P	1941	21
5058	538	1938	Bat. B/C Con. 5	175	Retailer	13/11/41	17
					AORSM/4P	1941	40
5059	539	1939	Vib. D/W Man. 5	456	AORSM/3P	1940	25
					AORSM/3S	1940	19
5060	530A	1939	A.C. B/C Con. 5	456	Retailer	29/10/42	13
5062	522A	1939	Vib. D/W Con. 5	456	Retailer	15/10/42	12
5063	523A	1939	Vib. B/C Con. 5	175	Retailer	29/10/42	12
5065	520C	1939	A.C. B/C R-G 5†	456	Retailer	30/9/43	14
5066	521C	1939	A.C. D/W R-G 5†	456	Retailer	25/4/43	15
5069	549	1939	Uni. D/W Con. 5	456	AORSM/4P	1941	26
5071	531A	1939	A.C. D/W Con. 5	456	AORSM/4P	1941	16
5076	521C	1939	A.C. D/W R-G 5†	456	Retailer	25/11/43	15
5080	540	1939	A.C. B/C Con. 5	456	AORSM/4P	1941	22
5081	541	1939	A.C. D/W Con. 5	456	AORSM/4P	1941	23
5085	542	1940	1.4v D/W Pnt. 5φ	456	AORSM/4P	1941	24
6541A	6541A	41/46	A.C. B/C Man. 4φ	456	Retailer	10/12/42	12
6551A	6551A	41/48	A.C. B/C Man. 5φ	456	Retailer	4/2/43	16
6552A	6552A	41/46	A.C. D/W Man. 5φ	456	Retailer	18/2/43	11
					AORSM/4P	1941	36
					AORSM/5P	1947	25
6553A	6553A	1941	A.C. T/W Man. 5φ	456	Retailer	4/3/43	15
6641A	6641A	41/48	A.C. B/C Man. 4φ	456	Retailer	4/3/43	15
					AORSM/4P	1941	17
6653U	6653U	41/46	Uni. T/W Man. 5φ	456	Retailer	18/3/43	13
6752D	6752D	41/46	Bat. D/W Con. 5φ	456	Retailer	13/5/43	16
					AORSM/4P	1941	18
6851V	6851V	1941	6v D.C. B/C Man. 5φ	456	Retailer	7/1/43	12
6852V	6852V	45/46	Vib. D/W Man. 5	456	AORSM/5P	1947	28

* Incorporates "Teletune" automatic tuning dial and wide band tuning. For details of adjustment see May, 1941, issue of Technician (Vol. 2, No. 3).

† Special table type radiogram.

φ Manufactured during war period.

‡ See following entry also.

NOTE.—In AORSM Airzone circuits are listed under chassis numbers and not under model numbers.