

**ASTOR**—Radio Corporation Pty. Ltd., 126-130 Grant Street, South Melbourne.

Model	Year	Description	I.F.	Publication	Date	Page
55	1936	A.C. B/C Con. 4	456	R.T. Annual	1938	241
				AORSM/2P	1939	52
				AORSM/2S	1939	52
58	1936	A.C. B/C Con. 5	472.5	R.T. Annual	1939	208
66AV	1936	A.C. D/W Con. 5	472.5	R.T. Annual	1938	243
				AORSM/2P	1939	49
				AORSM/2S	1939	49
77	36/38	Vib. B/C Man. 5	456½	R.T. Annual	1939	210
				R.T. Annual	1938	244
				AORSM/2P	1939	50
				AORSM/2S	1939	50
77DW	36/37	Vib. D/W Con. 5	456	Technician	Mar. '39	242
88	1936	Uni. B/C Con. 5	472.5	R.T. Annual	1938	242
				AORSM/2P	1939	52
				AORSM/2S	1939	52
99	1936	Uni. B/C Con. 5	472.5	R.T. Annual	1938	242
				AORSM/2P	1939	52
				AORSM/2S	1939	52
141	40/41	A.C. B/C Man. 4	455	.....		
151	40/41	A.C. B/C Man. 5	455	.....		
190	1936	A.C. D/W* Con. 7	455	.....		
220	35-37	Vib. B/C Auto 6	173	.....		
254	40/42	Bat. D/W Con. 6	455	.....		
340	1937	A.C. B/C Con. 4	472.5	R.T. Annual	1939	209
341	40/41	A.C. D/W Man. 4	455	.....		
351	40/41	A.C. D/W Man. 5	455	.....		
354	1940	A.C. D/W Man. 5	455	AORSM/4P	1941	43
361	40/41	A.C. D/W Man. 6	455	.....		
364	40/41	A.C. D/W Man. 6	455	.....		
364A	1940	A.C. D/W Man. 6	455	AORSM/4P	1941	44
441	41/43	Vib. B/C Man. 4½	455	AORSM/5P	1947	53
450	1937	A.C. B/C Con. 5	472.5	.....		
450DW	1937	A.C. D/W Con. 5	472.5	R.T. Annual	1939	212
470	37/39	Vib. D/W Con. 4	456½	R.T. Annual	1939	213
470P	1938	Vib. D/W Con. 4	455	.....		
500	38/39	1.4V B/C Man. 5	455	AORSM/2P	1939	47
				AORSM/3P	1940	35
				AORSM/3S	1939	30
550	1937	A.C. D/W Con. 5	456	R.T. Annual	1939	207
550P	1938	A.C. D/W Con. 5	456	Retailer	8/1/42	18
551	40/41	A.C. B/C Con. 5	455	.....		
554	1940	A.C. B/C Con. 5	455	AORSM/4P	1941	47
560DW	1937	A.C. D/W Con. 6	472.5	.....		
651	40/41	A.C. D/W Con. 5	455	.....		
654	1940	A.C. D/W Con. 5	455	AORSM/4P	1941	43
661	40/41	A.C. D/W Con. 6	455	.....		
664	40/41	A.C. D/W Con. 6	455	.....		
664A	40/41	A.C. D/W Con. 6	455	AORSM/4P	1941	44
670DW	1937	Uni. D/W Con. 6	472.5	.....		
741	41/43	Vib. B/C Con. 4½	455	AORSM/5P	1947	53
770	37/38	Vib. D/W Con. 5	472.5	.....		
770DW	40/41	Vib. D/W Man. 5	455	.....		
851	41/42	Vib. D/W Man. 5	455	AORSM/5P	1947	57
845M	40/42	Vib. D/W Man. 5	455	.....		
900	1939	A.C. B/C Con. 5	456	Retailer	11/12/41	18

## ASTOR—(contd.)

Model	Year	Description	I.F.	Publication	Date	Page
904	1939	A.C. D/W Con. 6	455	AORSM/3P	1940	42
				AORSM/3S	1940	37
910	1939	A.C. D/W Con. 5*	455	AORSM/3P	1940	37
				AORSM/3S	1940	32
920	1939	A.C. D/W Con. 6	455	AORSM/3P	1940	43
				AORSM/3S	1940	38
930	39/40	1.4v D/W Con. 5	455	AORSM/3P	1940	39
				AORSM/3S	1940	34
931	38/40	Vib. D/W Con. 4 <sup>A</sup>	455	AORSM/3P	1940	33
				AORSM/3S	1940	28
				AORSM/5P	1947	57
951	41/42	Vib. D/W Con. 5	455	.....		
5541	40/41	A.C. B/C Con. 5	455	.....		
6376	36/38	Vib. B/C Auto 6	173	.....		
6376F	36/38	Vib. B/C Auto 6	173	.....		
6376S	36/38	Vib. B/C Auto 6	173	.....		
6386	37/39	Vib. B/C Auto 6	173 <sup>2</sup>	Retailer	12/6/41	18
				AORSM/3P	1940	45
				AORSM/3S	1940	40
6395	38/39	Vib. B/C Auto 5 <sup>φ</sup>	455	AORSM/3P	1940	46
				AORSM/3S	1940	41
6396	38/39	Vib. B/C Auto 6	173	AORSM/3P	1940	44
				AORSM/3S	1940	39
6405	39/42	Vib. B/C Auto 5	455	.....		
6406	39/46	Vib. B/C Auto 6 <sup>φ</sup>	173 <sup>  </sup>	.....		
7541	1941	Bat. B/C Con. 5	455	.....		
9540M	41/45	Vib. D/W Con. 5	455	.....		
12376	36/38	Vib. B/C Auto 6	173	.....		
12386	36/38	Vib. B/C Auto 6	173 <sup>2</sup>	Retailer	12/6/41	18
				AORSM/3P	1940	45
				AORSM/3S	1940	40
12395	38/39	Vib. B/C Auto 5	455 <sup>  </sup>	AORSM/3P	1940	46
				AORSM/3S	1940	41
12396	38/39	Vib. B/C Auto 6	173	AORSM/3P	1940	44
				AORSM/3S	1940	39
12405	39/42	Vib. B/C Auto 5	455 <sup>  </sup>	.....		
12406	39/46	Vib. B/C Auto 6	173 <sup>  </sup>	.....		
A52	40/46	A.C. D/W B/S Con. 5	455	AORSM/5P	1947	46
AB	1936	A.C. D/W Con. 7	456	.....		
ADJ	40/41	A.C. D/W Tab. 6	455	.....		
AE	38/39	Vib. 12v B/C Auto 6	173	AORSM/3P	1940	44
				AORSM/3S	1940	39
AFJM	46/47	A.C. D/W Man. 5	455	AORSM/5P	1947	48
AFJQ	46/47	A.C. D/W Man. 5	455	AORSM/5P	1947	48
AJ	39-41	Vib. 6v B/C Auto 5	455	.....		
AK	39-41	Vib. 12v B/C Auto 5	455	.....		
AL	39/40	Vib. B/C Auto 6	173	.....		
ALL	39/46	Vib. B/C Auto 6	173 <sup>  </sup>	.....		
AM	39/40	Vib. B/C Auto 6	173	.....		
AMM	40/46	Vib. B/C Auto 6	173 <sup>  </sup>	.....		
AP	40/42	Bat. D/W Man. 5	455	.....		
AQ	40/41	Vib. D/W Con. 5	455	.....		
AQ (854M)	40/42	Vib. D/W Man. 5	455	.....		
AQ (9540M)	41/43	Vib. D/W Con. 5	455	.....		
AQM	40/41	Vib. D/W Man. 5	455	.....		
AR	40/41	A.C. B/C Midg. 2	TRF	.....		

## ASTOR—(contd.)

Model	Year	Description	I.F.	Publication	Date	Page
ARK	40/41	A.C. B/C Midg. 2	TRF	.....	.....	.....
AS	1939	A.C. D/W Con. 6	455	AORSM/3P	1940	42
B52	40/46	A.C. D/W Man. 5	455	AORSM/3S	1940	37
BB	37/38	Vib. B/C Man. 5	456½	AORSM/5P	1947	46
BD	1936	A.C. S/W Cvr. 1	580	R.T. Annual	1939	210
BE	1936	A.C. B/C Man. 5φ	456	.....	.....	.....
BF	1939	Record Player 2	550	R.T. Annual	1938	240
BG	1939	A.C. D/W Con. 5*	455	AORSM/2P	1939	47
BK	40/41	A.C. D/W Con. 6	455	AORSM/2S	1939	47
BKM	40/41	A.C. D/W Man. 6	455	Retailer	11/6/42	20
BL	1940	A.C. B/C Con. 5	455	AORSM/3P	1940	37
BN	40/41	A.C. B/C Man. 4φ	455	AORSM/3S	1940	32
BP	40/41	A.C. B/C Man. 4	455	.....	.....	.....
BQ	46/48	Vib. D/W Con. 5	455	AORSM/4P	1941	47
BQC	46/47	V/B D/W Con. 5	455	.....	.....	.....
BQM	46/47	V/B D/W Man. 5	455	AORSM/5P	1947	55
BR	46/47	A.C. B/C Man. 3	TRF	AORSM/5P	1947	55
BS	40/46	Bat. B/C Prt. 3	455	AORSM/5P	1947	55
CD	1938	D.C. D/W Man. 4	456	.....	.....	.....
CE	1939	A.C. B/C Con. 5	456	Retailer	11/12/41	17
CF	1938	A.C. D/W Man. 5	456	Retailer	11/12/41	18
CG	38/39	Vib. 6v. B/C Auto 5	455	AORSM/2P	1938	46
CJ	40/46	Bat. B/C Prt. 5	173½	AORSM/3P	1940	34
CK	1941	Bat. B/C Con. 5	455	AORSM/3S	1940	29
CL	1940	A.C. D/W Con. 5	455	AORSM/3P	1940	48
CM	40/41	A.C. D/W Con. 6	455	AORSM/3S	1940	41
CMR	40/41	A.C. D/W R-G 6	455	.....	.....	.....
CN	40/41	A.C. D/W Man. 4	455	AORSM/4P	1941	43
CQM	46/47	Vib. B/C Man. 4§	455	AORSM/4P	1941	44
DA	35-37	Vib. B/C Auto 6	173	.....	.....	.....
DB	1936	A.C. B/C Con. 4	456	AORSM/5P	1947	50
DC	1936	Unl. B/C Con. 5	472.5	.....	.....	.....
DD	1936	A.C. D/W Con. 5∞	472.5	R.T. Annual	1938	241
DDA	1936	A.C. D/W Con. 5	472.5	AORSM/2P	1939	52
DE	38/37	Vib. B/C Con. 5φ	456	AORSM/2S	1939	52
DG	36/37	Vib. D/W Con. 5	458	R.T. Annual	1938	242
DH	1936	A.C. B/C Man. 5	456	AORSM/2P	1939	52
DJ	40/41	A.C. D/W Tab. 6	455	AORSM/2S	1939	52
				R.T. Annual	1938	244
				AORSM/2P	1939	50
				AORSM/2S	1939	50
				Technician	Mar. '39	36
				R.T. Annual	1938	245
				AORSM/2P	1939	48
				AORSM/2S	1939	48

## ASTOR—(contd.)

Model	Year	Description	I.F.	Publication	Date	Page
DK	40/41	A.C. D/W Con. 6	455	.....		
DKR	40/41	A.C. D/W R-G 6	455	.....		
DKM	40/41	A.C. D/W Man. 6	455	.....		
DL	40/41	A.C. B/C Man. 4	455	.....		
DM	40/41	A.C. D/W Con. 5	455	.....		
DMM	40/41	A.C. D/W Man. 5	455	.....		
DN	41/46	Vib. B/C Con. 4	455	AORSM/5P	1947	53
DNM	41/46	Vib. B/C Man. 4	455	AORSM/5P	1947	63
DNS	46/47	Vib. B/C Man. 4	455	.....		
DP	40/41	A.C. B/C Con. 5	455	.....		
DPN	40/41	A.C. B/C Man. 5	455	.....		
DQ	41/46	Vib. D/W Con. 5	455	AORSM/5P	1947	57
DQM	41/46	Vib. D/W Man. 5	455	AORSM/5P	1947	57
DQP	1946	Vib. D/W Man. 5	455	AORSM/5P	1947	59
DQQ	1946	Vib. D/W Man. 5	455	AORSM/5P	1947	61
E	1939	A.C. D/W Con. 6	455	AORSM/3P	1940	43
				AORSM/3S	1940	38
EA	1936	A.C. B/C Con. 5	472.5	R.T. Annual	1939	208
EB	38/39	Vib. 6v B/C Auto 6	173	AORSM/3P	1940	44
				AORSM/3S	1940	39
EC	1936	Uni. B/C Con. 5	472.5	R.T. Annual	1938	242
				AORSM/2P	1939	52
				AORSM/2S	1939	52
ED	36-38	Vib. 6v B/C Auto 6	173	.....		
EE	1939	6v Auto	6	.....		
EF	1936	A.C. B/C Con. 5	472.5	R.T. Annual	1938	246
				AORSM/2P	1939	51
				AORSM/2S	1939	51
EG	38/39	1.4v B/C Man. 4	455	AORSM/3P	1940	31
				AORSM/3S	1940	26
EH	36/37	Vib. B/C Man. 5	456	.....		
FB	36-38	Vib. B/C Auto 6	173	.....		
FC	1937	A.C. D/W Con. 8	472.5	.....		
FD	36-38	Vib. B/C Auto 6	173	.....		
FE	1937	Uni. D/W Con. 6	472.5	.....		
FF	37/38	Vib. D/W Con. 5	472.5	R.T. Annual	1939	211
FG	37/39	Vib. D/W Man. 4	456	R.T. Annual	1939	213
FH	38/40	Vib. D/W Man. 5	455	AORSM/2P	1938	45
				AORSM/3P	1940	32
				AORSM/3S	1940	27
FJ	40/41	A.C. D/W B/S Con. 5	455	AORSM/5P	1947	46
FJM	40/41	A.C. D/W Man. 5	455	AORSM/5P	1947	46
FP	46/48	A.C. D/W Man. 5	455	.....		
GA	1937	A.C. D/W Man. 5	456	R.T. Annual	1939	207
				AORSM/2P	1938	48
GB	1967	A.C. D/W Con. 5	472.5	R.T. Annual	1939	212
GC	1939	1.4v B/C Prt. 5	455	AORSM/3P	1940	39
				AORSM/3S	1940	34
GD	1937	A.C. B/C Con. 5	472.5	.....		
GF	38/39	1.4v B/C Man. 5	455	AORSM/2P	1939	47
				AORSM/3P	1940	35
				AORSM/3S	1940	30
GG	39/40	1.4v D/W Con. 5	455	AORSM/3P	1940	39
				AORSM/3S	1940	34
GH	1937	A.C. B/C Con. 4	472.5	R.T. Annual	1939	209

## ASTOR—(contd.)

Model	Year	Description	I.F.	Publication	Date	Page
HA	37/39	Vib. D/W Con. 4	456 $\frac{1}{2}$	R.T. Annual	1939	213
HB	1937	A.C. D/W Con. 5	456	R.T. Annual	1939	207
HC	38/39	Vib. B/C Auto 5	455	AORSM/3P	1940	46
				AORSM/3S	1940	41
HD	1938	A.C. D/W Con. 5	456	Retailer	8/1/42	18
HE	37-39	Vib. 6v B/C Auto 6	1730	Retailer	12/6/41	18
				AORSM/3P	1940	46
				AORSM/3S	1940	40
HF	36-38	Vib. 12v B/C Auto 6	1730	Retailer	12/6/41	18
				AORSM/3P	1940	45
				AORSM/3S	1940	40
HG	38-40	Vib. D/W Con. 4 <sup>A</sup>	455	AORSM/3P	1940	33
				AORSM/3S	1940	28
HM	1948	A.C. D/W R-G 5	455	.....	.....	.....
JJ	46-48	A.C. B/C Man. 4	455	AORSM/5P	1947	37
JL	46-48	Vib. B/C Auto 6	455	.....	.....	.....
JM	46-48	Vib. B/C Auto 6	455	.....	.....	.....
KJ	46/47	A.C. D/W Man. 5	455	AORSM/5P	1947	48
KL	46/47	A.C. B/C Man. 4	455	AORSM/5P	1947	40
KM	46-48	A.C. B/C Man. 4	455	.....	.....	.....
KN	47/48	Vib. D/W Man. 5	455	.....	.....	.....
KP	46-48	Bat. B/C Prt. 5	455	.....	.....	.....
KQ	1948	Bat. B/C Pers. 5	455	.....	.....	.....
LJ	46-48	Bat. D/W Man. 5	466	.....	.....	.....
LS	46-48	A.C. B/C Con. 4	455	AORSM/5P	1947	43
MG	1936	A.C. B/C Man. 5	456	R.T. Annual	1938	245
				AORSM/2P	1939	48
				AORSM/2S	1939	48
MJ	46/47	Bat. D/W Man. 5	455	AORSM/5P	1947	63
MK	46-48	Bat. B/C Man. 4	455	AORSM/5P	1947	67
MM (BE)	1936	A.C. B/C Man. 5 $\phi$	456	R.T. Annual	1938	240
				AORSM/2P	1939	47
				AORSM/2S	1939	47
MM (BP)	40/41	A.C. B/C Man. 5 $\phi$	455	.....	.....	.....
MM (EC)	40/41	A.C. B/C Man. 5 $\phi$	456	R.T. Annual	1938	209
				AORSM/3P	1940	31
				AORSM/3S	1940	26
MM (EG)	1939	1.4v B/C Man. 4	456	AORSM/3P	1940	31
				AORSM/3S	1940	26
MN	46/47	Bat. B/C Con. 4	455	AORSM/5P	1947	67
MP	46/47	A.C. D/W R-G. 5	455	.....	.....	.....
O34	40/41	Bat. B/C Prt. 3	455	.....	.....	.....
OA54	40-42	Bat. D/W Man. 6	455	.....	.....	.....
RK	40/41	A.C. B/C Midg. 2	455	.....	.....	.....
WRP	1939	Record Player 2	550	Retailer	11/6/42	20
<b>Other Astor Receivers</b>						
Aladdin (CD)	1938	D.C. D/W Man. 4	456	Retailer	11/12/41	17
Aladdin (CF)	1938	A.C. D/W Man. 5	456	AORSM/2P	1938	46
				AORSM/3P	1940	34
				AORSM/3P	1940	29
Aladdin (FG)	37-39	Vib. B/C Man. 4	456	.....	.....	.....
Aladdin (FH)	38-40	Vib. B/C Man. 4	455	.....	.....	.....
Aladdin (GA)	1937	A.C. D/W Man. 5	456	R.T. Annual	1939	207
				AORSM/2P	1938	48
Baby (AR)	40/41	A.C. B/C Midg. 2	TRF	.....	.....	.....

# ASTOR—(contd.)

Model	Year	Description	I.F.	Publication	Date	Page
Baby (ARK)	40/41	A.C. B/C Midg. 2	TRF	.....		
Baby (BR)	40/41	A.C. B/C Midg. 3	TRF	.....		
De Luxe (CJ)	40/41	Bat. B/C D/W 5	455	.....		
Mickey (EG)	38/39	Bat. B/C Man. 4	456	.....		
Overseer (BD)	1936	A.C. S/W Convr. 1	560	.....		
Portable (GC)	1939	1.4v B/C Prt. 5	455	AORSM/3P	1940	39
				AORSM/3S	1940	34
Sultana (EF)	1936	A.C. B/C Con. 5	472.5	R.T. Annual	1939	246
				AORSM/2P	1939	51
				AORSM/2S	1939	51

§ Listed in AORSM/5P as an A.C.-operated receiver instead of vibrator.

‡ Earlier models used I.F. of 472.5 kC/s.

# Some earlier models used 455 kC/s. I.F. Check for peak.

⊙ 1st I.F. primary and secondary each staggered 10 kC/s.

|| 1st I.F. primary and secondary each staggered 8 kC/s.

|| 1st I.F. primary and secondary each staggered 4 kC/s.

∞ Original circuit. Revised version of 66S; used 6J7 as anode band detector instead of 75 or 6Q7.

‡ Special for Ford cars.

\* Incorporates 8 station motor selected push button tuning system.

φ See following entry for circuit data on similar receiver.

△ In 1940 AORSM model 931 is shown as model 956.

NOTE: No Astor circuits appear in AORSM/IP 1938.