

HOTPOINT-BANDMASTER—

Australian General Electric Pty. Ltd., Clarence Street, Sydney, N.S.W.

NOTE: Since their introduction in 1931, A.G.E. receivers have been known variously as "General Electric," "Bandmaster," and "Hotpoint-Bandmaster." The last title has been in use for the last seven years (approximately) and to avoid confusion all of the names are grouped under the present heading.

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
139DE	139DE	1939	A.C. T/W Con. 13A	460	AORSM/3P	1940	175
					AORSM/3S	1940	164
177DB	177D	1937	Bat. T/W Con. 7	460	Technician	Dec. '39	126
					AORSM/1P	1938	57
177DV	177D	1937	Vib. T/W Con. 7	460	Technician	Dec. '39	126
					AORSM/1P	1938	57

HOTPOINT-BANDMASTER—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
197DE	197DE	1937	A.C. T/W Con. 9	460	Technician	Dec. '39	128
					AORSM/1P	1938	54
198DE	198DE	1938	A.C. T/W Con. 9 ^A	460	AORSM/2P	1938	162
					AORSM/2P	1939	162
					AORSM/2S	1939	162
257-32v	257-32v	1937	32v T/W Con. 5	460	AORSM/1P	1938	64
257DB	257D	1937	Bat. D/W Con. 5	460	Technician	Dec. '39	130
					AORSM/1P	1938	56
257DD	257DD	1937	D.C. T/W Con. 5	460	Technician	Feb. '41	58
					AORSM/1P	1938	61
257DV	257D	1937	Vib. D/W Con. 5	460	Technician	Dec. '39	130
					AORSM/1P	1938	56
258DD	258DD	1938	D.C. T/W Con. 5	460	AORSM/2P	1938	168
					AORSM/2P	1939	168
					AORSM/2S	1939	168
267DE	267DE	1937	A.C. T/W Con. 6	460	Technician	Dec. '39	191
					AORSM/1P	1938	52
269DB	269D	1939	Bat. D/W Con. 6	460	AORSM/3P	1940	170
					AORSM/3S	1940	159
269DU	269DU	1939	Uni. D/W Con. 6	460	AORSM/3P	1940	165
					AORSM/3S	1940	154
269DV	269D	1939	Vib. D/W Con. 6	460	AORSM/3P	1940	170
					AORSM/3S	1940	159
278DB	278D	1938	Bat. T/W Con. 7	460	AORSM/2P	1938	167
					AORSM/2P	1939	167
					AORSM/2S	1939	167
278DE	278DE	1938	A.C. T/W Con. 7*	460	AORSM/2P	1938	165
					AORSM/2P	1939	165
					AORSM/2S	1939	165
278DV	278D	1938	Vib. T/W Con. 7	460	AORSM/2P	1938	167
					AORSM/2P	1939	167
					AORSM/2S	1939	167
289DE	289DE	1939	A.C. D/W Con. 8 ^A	460	AORSM/3P	1940	171
					AORSM/3S	1940	160
257MB	257M	1937	Bat. B/C Con. 5	460	Technician	Dec. '39	132
					AORSM/1P	1938	50
357ME	357ME	1937	A.C. B/C Con. 5	460	Technician	Oct. '40	261
					AORSM/1P	1938	48
357MV	357M	1937	Vib. B/C Con. 5	460	Technician	Dec. '39	132
					AORSM/1P	1938	50
358ME	358ME	1938	A.C. B/C Con. 5*	460	AORSM/2P	1938	159
					AORSM/2P	1939	159
					AORSM/2S	1939	159
358DB	359D	1939	Bat. D/W Con. 5	460	AORSM/3P	1940	164
					AORSM/3S	1940	153
359DE	359DE	1939	A.C. D/W Con. 5 μ	460	AORSM/3P	1940	159
					AORSM/3S	1940	148
359DEZ	359DEZ	1939	A.C. D/W Con. 5 μ	460	AORSM/3P	1940	160
					AORSM/3S	1940	149
359DV	359D	1939	Vib. D/W Con. 5	460	AORSM/3P	1940	164
					AORSM/3S	1940	153
359ME	359ME	1939	A.C. B/C Con. 5 μ	460	AORSM/3P	1940	158
					AORSM/3S	1940	147
359MEZ	359MEZ	1939	A.C. B/C Con. 5	460	AORSM/3P	1940	168
					AORSM/3S	1940	147
367DE	367DE	1937	A.C. D/W Con. 6	460	Technician	Jan. '40	144
					AORSM/1P	1938	51

HOTPOINT-BANDMASTER—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
368DB	368D	1938	Bat. D/W Con. 6	460	AORSM/2P	1938	164
					AORSM/2P	1939	164
					AORSM/2S	1939	164
368DE	368DE	1938	A.C. D/W Con. 6*	460	AORSM/2P	1938	161
					AORSM/3P	1939	161
					AORSM/2S	1939	161
368DV	368D	1938	Vib. D/W Con. 6	460	AORSM/2P	1939	164
					AORSM/2S	1939	164
					AORSM/3P	1940	161
369DE	369DE	1939	A.C. D/W Con. 6	460	AORSM/2S	1939	164
					AORSM/3P	1940	161
					AORSM/2S	1940	150
447DD	447DD	1937	D.C. D/W Con. 4	460	Technician	Oct. '40	262
					AORSM/1P	1938	47
447MB	447MB	1947	Bat. B/C Con. 4	460	Technician	Jan. '40	146
					AORSM/1P	1938	44
447MV	447MV	1937	Vib. B/C Con. 4	460	Technician	Jan. '40	146
					AORSM/1P	1938	46
448DD	448DD	1938	D.C. D/W Con. 4	460	AORSM/2P	1938	157
					AORSM/2P	1939	157
					AORSM/2S	1939	157
447MB	448M	1938	Bat. B/C Con. 4	460	AORSM/2P	1938	149
					AORSM/2P	1939	149
					AORSM/2S	1939	149
448MV	448M	1938	Vib. B/C Con. 4	460	AORSM/2P	1938	149
					AORSM/2P	1939	149
					AORSM/2S	1939	149
449DD	449DD	1939	D.C. D/W Con. 4	460	AORSM/3P	1940	179
					AORSM/3S	1940	168
					AORSM/3P	1940	178
449MB	449M	1939	Bat. B/C Con. 4	460	AORSM/3S	1940	167
					AORSM/3P	1940	178
					AORSM/3S	1940	167
449MV	449M	1939	Vib. B/C Con. 4	460	AORSM/3P	1940	178
					AORSM/3S	1940	167
					Technician	Feb. '40	161
457DE	457DE	1937	A.C. D/W Con. 5	460	AORSM/1P	1938	43
					AORSM/2P	1938	152
					AORSM/2P	1939	152
458DB	458D	1938	Bat. D/W Con. 5	460	AORSM/2S	1939	162
					AORSM/2P	1938	155
					AORSM/2P	1939	155
458DE	458DE	1938	A.C. D/W Con. 5*	460	AORSM/2S	1939	155
					AORSM/2P	1938	152
					AORSM/2P	1939	152
458DV	458D	1938	Vib. D/W Con. 5	460	AORSM/2S	1939	152
					AORSM/2P	1938	152
					AORSM/2P	1939	152
458ME	458ME	1938	A.C. B/C Con. 5*	460	AORSM/2P	1938	153
					AORSM/2P	1939	153
					AORSM/2S	1939	153
459DB	459D	1939	Bat. D/W Con. 5	460	AORSM/3P	1940	184
					AORSM/3S	1940	173
459DE	459DE	1939	A.C. D/W Con. 5 μ	460	AORSM/3P	1940	180
					AORSM/3S	1940	169
459DV	459D	1939	Vib. D/W Con. 5	460	AORSM/3P	1940	184
					AORSM/3S	1940	173
459ME	459ME	1939	A.C. B/C Con. 5 μ	460	AORSM/3P	1940	180
					AORSM/3S	1940	169
547DD	457DD	1937	D.C. D/W Man. 4	460	Technician	Oct. '40	262
					Technician	Jan. '40	145
547MB	547MB	1937	Bat. B/C Man. 4	460	AORSM/1P	1938	44

HOTPOINT-BANDMASTER—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
548DD	548DD	1938	D.C. D/W Man. 4	460	AORSM/2P	1938	157
					AORSM/2P	1939	157
					AORSM/2S	1939	157
548MB	548MB	1938	Bat. B/C Man. 4	460	AORSM/2P	1938	147
					AORSM/2P	1939	147
					AORSM/2S	1939	147
549DD	549DD	1939	D.C. D/W Man. 4	460	AORSM/3P	1940	177
					AORSM/3S	1940	166
549MB	549M	1939	Bat. B/C Man. 4	460	Retailer	5/2/42	18
549MVZ	549MVZ	1939	Vib. B/C Man. 4	460	AORSM/3P	1940	151
					AORSM/3S	1940	145
549MV	548M	1939	Vib. B/C Man. 4	460	AORSM/3P	1940	146
					AORSM/3S	1940	138
549MVZ	549MVZ	1939	Bat. B/C Man. 4	460	AORSM/3P	1940	152
					AORSM/3S	1940	141
557DE	557DE	1937	A.C. D/W Man. 5	460	Technician	Feb. '40	161
					AORSM/1P	1938	41
558DB	558D	1938	Bat. D/W Man. 5	460	AORSM/2P	1938	151
					AORSM/2S	1939	151
558DE	558DE	1938	A.C. D/W Man. 5	460	AORSM/2P	1938	155
					AORSM/2P	1939	155
					AORSM/2S	1939	155
558DV	558D	1938	Vib. D/W Man. 5	460	AORSM/2P	1938	152
					AORSM/2P	1939	152
					AORSM/2S	1939	152
558ME	558ME	1938	A.C. B/C Man. 5	460	AORSM/2P	1938	153
					AORSM/2P	1939	153
					AORSM/2S	1939	153
559DB	559DB	1939	Bat. D/W Man. 5	460	Retailer	5/2/42	17
559DBZ	559DBZ	1939	Bat. D/W Man. 5	460	AORSM/3P	1940	152
					AORSM/3S	1940	141
559DE	559DE	1939	A.C. D/W Man. 5	460	Retailer	27/11/41	24
559DEZ	559DEZ	1939	A.C. D/W Man. 5	460	Retailer	27/11/41	24
					AORSM/3P	1940	153
					AORSM/3S	1940	142
559DV	559DV	1939	Vib. D/W Man. 5	460	AORSM/3P	1940	151
					AORSM/3S	1940	139
559ME	559ME	1939	A.C. B/C Man. 5	460	Retailer	27/11/41	23
559MEZ	559MEZ	1939	A.C. B/C Man. 5	460	Retailer	27/11/41	23
					AORSM/3P	1940	153
					AORSM/3S	1940	142
648ME	648ME	1938	A.C. B/C Man. 4	460	AORSM/2P	1938	146
					AORSM/2P	1939	146
					AORSM/2S	1939	146
649ME	649ME	1939	A.C. B/C Man. 4	460	AORSM/3P	1940	171
					AORSM/3S	1940	169
657ME	657ME	1937	A.C. B/C Man. 5	175	Technician	Feb. '40	162
					AORSM/1P	1938	42
707DE	707DE	1937	A.C. T/W Con. 11	460	AORSM/4P	1941	184
					AORSM/1P	1938	58
749MB	749MB	1939	Bat. B/C Con. 4	460	AORSM/3P	1940	162
					AORSM/3S	1940	151
749MV	749M	1939	Vib. D/W Con. 4	460	AORSM/3P	1940	162
					AORSM/3S	1940	151
759DE	759DE	1939	A.C. D/W Con. 5	460	AORSM/3P	1940	161
					AORSM/3S	1940	145

HOTPOINT-BANDMASTER—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
759DU	759DU	1939	Uni. D/W Con. 5	480	AORSM/3P	1940	165
					AORSM/3S	1940	154
759MB	759M	1939	Bat. B/C Con. 5	460	AORSM/3P	1940	163
					AORSM/3S	1940	152
759ME	759ME	1939	A.C. B/C Con. 5	400	AORSM/3P	1940	155
					AORSM/3S	1940	144
759MV	759MV	1939	Vib. B/C Con. 5	460	AORSM/3P	1940	163
					AORSM/3S	1940	152
867MV	867MV	1937	B/C Auto. 6λ	460	Technician	1940	214
					AORSM/1P	1938	60
868MV	868MV	1939	B/C Auto. 6λ	460		
A16DG	-----	1940	A.C. D/W R-G 6	460		
A18QA	-----	1940	A.C. D/W Con. 8ω	460	AORSM/4P	1941	174
A18QG	-----	1940	A.C. D/W R-G 8ω	460	AORSM/4P	1941	175
A18QGA	-----	1940	A.C. D/W R-G 8ω	460	AORSM/4P	1941	175
A26DB	-----	1940	Bat. D/W Con. 6	460	AORSM/4P	1941	171
A26DE	-----	1940	A.C. D/W Con. 8	460	AORSM/4P	1941	169
A26DV	-----	1940	Vib. D/W Con. 6	460	AORSM/4P	1941	171
A28QE	-----	1940	A.C. D/W Con. 8	460	AORSM/4P	1941	174
A35DA	-----	1940	A.C. D/W Con. 5ω	460	AORSM/4P	1941	188
A35DB	-----	1940	Bat. D/W Con. 5	460	AORSM/4P	1941	164
A36DE	-----	1940	A.C. D/W Con. 5	460	AORSM/4P	1941	159
A35DG	-----	1940	A.C. D/W R-G 6	460	AORSM/4P	1941	169
A35DGA	-----	1940	A.C. D/W R-G 5ω	460		
A35DU	-----	1940	Uni. D/W Con. 5	460		
A35DV	-----	1940	Vib. D/W Con. 5	460	AORSM/4P	1941	165
A44MB	-----	1940	Bat. B/C Con. 4	460	AORSM/4P	1941	182
A45MG	-----	1941	A.C. B/C R-G 5	460	AORSM/4P	1941	182
A45ME	-----	1940	A.C. B/C Con. 4	460	AORSM/4P	1941	182
A55DB	-----	1940	Bat. D/W Man. 5	460	AORSM/4P	1941	164
A55DE	-----	1940	A.C. D/W Man. 5	460	AORSM/4P	1941	159
A55DU	-----	1940	Uni. D/W Man. 5	460	AORSM/4P	1941	166
A55DV	-----	1940	Vib. D/W Man. 5	460	AORSM/4P	1941	165
A64MB	-----	1940	Bat. B/C Man. 4	460	AORSM/4P	1941	162
A65ME	-----	1940	A.C. B/C Man. 5	460	AORSM/4P	1941	182
A65ME	A65ME	1946	A.C. B/C Man. 5	455	AORSM/5P	1947	176
A65MG	-----	40/41	A.C. B/C R-G 5	460	AORSM/4P	1941	182
A86MV	-----	1940	Vib. B/C Auto 5	460		
A94MK	-----	1941	1.4v B/C Tab. 4	460		
A359DE	A359DE	1939	A.C. D/W Con. 5φ	460	AORSM/3P	1940	167
					AORSM/3S	1940	156
A359DEZ	A538DEZ	1939	A.C. D/W Con. 5φ	460	AORSM/3P	1940	168
					AORSM/3S	1940	157
A359DEZ	A358DEZ	1939	A.C. D/W Con. 5φ	460	AORSM/3P	1940	167
					AORSM/3S	1940	156
A359ME	A358ME	1939	A.C. B/C Con. 5φ	460	AORSM/3P	1940	168
					AORSM/3S	1940	157
A459DE	A459DE	1939	A.C. D/W Con. 5‡	460	AORSM/3P	1940	181
					AORSM/3S	1940	170
A459ME	A459ME	1939	A.C. B/C Con. 5‡	460	AORSM/3P	1940	183
					AORSM/3S	1940	172
B16SG	-----	1941	A.C. A/W R-G 5§	460	AORSM/3S	1941	184
B19SE	-----	1941	A.C. A/W Con. 9§	460		
B19SG	-----	1941	A.C. A/W R-G 9§	460		
B26BSV	B26BSV	1946	B/V A/W Con. 6α§	455	AORSM/5P	1947	181

HOTPOINT-BANDMASTER—(contd.)

Model	Chassis	Year	Description	I.F.	Publication	Date	Page
B26SBV	—	1941	B/V A/W Con.	6§ 460	AORSM/4P	1941	177
B26SE	—	1941	A.C. A/W Con.	6§ 460	AORSM/4P	1941	184
B45DE	B45DE	1947	A.C. D/W Con.	5- 455		
B45DM	B45DM	1947	A.C. D/W Con.	5 455		
B55DE	—	1941	A.C. D/W Con.	5 460	AORSM/4P	1941	159
B64ME	—	1941	A.C. B/C Man.	4 460	AORSM/4P	1941	167
374MB	—	1941	Bat. B/C Prt.	4 460	AORSM/4P	1941	158
C18SG	C18SG	1947	A.C. A/W R-G.	8§ 455		
C26SB	C26SB	1946	Bat. A/W Con.	6 455		
C26SBV	C26SBV	1946	B/V A/W Con.	6cc§ 455	AORSM/5P	1947	181
C26SE	C26SE	1946	A.C. A/W Con.	6cc§ 455	AORSM/5P	1947	183
C26SV	C26SV	1946	Vib. A/W Con.	6 455		
C34MB/V	—	1941	B/V B/C Con.	4 460		
C35DB	C35DB	1946	Vib. D/W Con.	5 485	AORSM/5P	1947	177
C35DE	—	1941	A.C. D/W Con.	5 460	AORSM/4P	1941	179
C35MBV	—	1941	B/V D/W Con.	5 460		
C35ME	—	1941	A.C. B/C Con.	5 460	AORSM/4P	1941	179
C45DA	C45DA	1948	1.4v D/W Con.	5 455		
C45DB	C45DB	1948	Bat. D/W Con.	5 455		
C45DE	C45DE	1947	A.C. A/W Con.	5cc§ 455		
C45DEX	C45DEX	1948	A.C. B/C Con.	5 455		
C45DU	C45DU	1948	Vib. D/W Con.	5 455		
C56SB	—	1941	B/V B/C Tab.	4 460	AORSM/4P	1941	177
C56SE	—	1941	A.C. A/W Man.	6§ 460	AORSM/4P	1941	184
C64ME	—	1941	A.C. B/C Man.	4 460	AORSM/4P	1941	167
C74MB	—	1941	Bat. B/C Port.	4 460		
D35DB	D35DB	1946	Bat. D/W Con.	5 455		
D35DBV	D35DBV	1946	B/V D/W Con.	5 455	AORSM/5P	1947	179
D35DE	D35DE	1946	A.C. D/W Tab.	5 455	AORSM/5P	1947	178
D35DG	—	1941	A.C. D/W R-G.	6. 460		
D35DV	D35DV	1946	Vib. D/W Con.	5 455		
D44ME	D44ME	1948	A.C. B/C Con.	4 455		
D44MM	D44MM	1948	Bat. B/C Con.	4 455		
D55DE	—	1941	A.C. D/W Man.	5. 460	AORSM/4P	1941	179
D64MB	—	1941	Bat. B/C Tab.	4. 460		
D65ME	—	1941	A.C. B/C Man.	5 460		
D176B	D176B	1936	Bat. D/W Con.	7. 460	Technician	Aug. '39	94
D186C	D186E	1936	A.C. D/W R-G.	8. 460	Technician	Jun. '39	76
D186E	D186E	1936	A.C. D/W Con.	8. 460	Technician	Jun. '39	75
D256D	D256D	1936	D.C. D/W Con.	5.+ 460	Technician	Oct. '39	108
D256D	D256D	1936	32v. D/W Con.	5. 460	Technician	Jan. '40	152
D266B	D266B	1936	Bat. D/W Con.	6. 460	Technician	May '39	70
D276E	D276E	1936	A.C. D/W Con.	7. 460	Technician	Nov. '39	114
D356E	D356E	1936	A.C. D/W Con.	5 460	Technician	Jun. '39	75
D556E	D556E	1939	A.C. D/W Man.	5. 460	Technician	Feb. '39	26
E35FE	E35FE	1947	A.C. A/W Con.	5cc 455		
E258B	E35SB	1948	Bat. A/W Con.	5cc§ 455		
E35SM	E35SM	1947	B/V A/W Con.	5cc§ 455		
E35SV	E35SV	1948	Vib. A/W Con.	5cc§ 455		
E38SE	E38SE	1947	A.C. A/W Con.	8cc§ 455		
E64ME	E64ME	1946	A.C. B/C Man.	4 455	AORSM/5P	1947	174
E75DB	—	1941	Bat. D/W Prt.	5 460		
F35DG	F35DG	1948	A.C. D/W R-G	6 455		
F55DB	F55DB	1946	Bat. D/W Man.	5 455		
F55DBV	F55DBV	1946	B/V D/W Con.	5 455	AORSM/5P	1947	179
F55DE	F55DE	1946	A.C. D/W Tab.	5 455	AORSM/5P	1947	178

HOTPOINT-BANDMASTER—(contd.)

§ Provision for remote control.

* Also available as R-Q combination using same chassis and circuit.

‡ Incorporates 6-station pretuned circuit push-button tuning.

§ Table type R-Q.

+ See also next entry.

NOTE: Models whose numbers end with "Z" employ a different circuit to that used in models whose numbers are otherwise identical.